



# NuCote™

FLOORING PERFECTION



Our cementitious decorative screed system is applied seamlessly to almost any substrate. The range of colour options, veracity and durable finish make it ideal for most commercial and residential spaces.

## WALL AND FLOOR SYSTEM

# DECORATIVE WALL AND FLOOR SYSTEM

The new range of wall and flooring, brought to you by NuCote™, has been designed to bring out the many virtues of concrete as a decorative flooring and walling solution. Using cement as an alternative material can make some of the most elegant and colourful interiors you have ever seen. Durability, ease-of-maintenance, fast setting-time makes NuCote™ the preferred option for applicators and designers.



Aesthetically Pleasing



Easy to Clean and Maintain

## NuSkim Decorative System

### HORIZONTAL AND VERTICAL | MORTAR

NuCote™ NuSKIM can be used on most common substrate including concrete, under coat plaster and fibre-cement boards on overheads, vertical and horizontal substrate.

Advantages	Finish	Application	Components	Recommended Use
<ul style="list-style-type: none"> <li>• Can be applied vertically and horizontal</li> <li>• Bonds excellent to concrete</li> <li>• Shrinkage compensated</li> <li>• Can be left as fair-face finish or over-coated</li> <li>• Seamless and easy-to-clean</li> </ul>	<p>Gloss or Matt</p>	<p>Trowel Applied</p>	<p><b>JUST ADD WATER</b></p>	<ul style="list-style-type: none"> <li>• Structural repairs</li> <li>• Scrapper coat</li> <li>• Hairline crack filler</li> <li>• Face finish with Topcoat</li> </ul>
		Smooth or Sponge		
		Rough or Brush		












RESIDENTIAL BUILDINGS

COMMERCIAL PROPERTIES

## NuCem Decorative Flooring

### CEMENTITIOUS UNDERLAYMENT | COATING

NuCote™ NuCEM is a self-levelling, two component, high performance, cementitious compound formulated to produce a hard wearing, smooth, crack free, flat surface while being very easy to apply.

Advantages	Finish	Application	Components	Recommended Use
<ul style="list-style-type: none"> <li>• Non-toxic</li> <li>• High flow properties</li> <li>• Dimensionally stable</li> <li>• Self-healing properties (30 minutes)</li> <li>• Can be applied directly onto prepared surface</li> <li>• Seamless and easy-to-clean</li> </ul>	 Gloss or Matt	  Trowel Applied	 Part A: Aggregate Part B: Hardener	<ul style="list-style-type: none"> <li>• Face finish with top coat</li> <li>• Hygiene applications</li> <li>• Refurbishing of concrete</li> <li>• Floor levelling</li> <li>• Decorative floor finish</li> </ul>
		 Self-levelling		



OUR WALL AND FLOOR COLOUR RANGE:

FRENCH NOUGAT

TIMBERWOLF

BLACK FOREST

SOFT SERVE

BITTERSWEET

FROZEN OREO

BAVARIAN CREAM

WILD TRUFFLE

MUSTANG ALLEY

MOCCACHINO COFFEE

CRÈME BRULÉE

CARELESS WHISPER

Printed colours are not a perfect match.






[www.nucote.co.za](http://www.nucote.co.za)

+27 (0)11 421 03013



# WHICH COLOUR IS BEST FOR YOU?



Proudly brought to you by



DISAVOWAL: The customer acknowledges and understands that after delivery, the goods will have left the control of RigiFoam (Pty) Ltd, and that the customer will be responsible for the unpacking of and connection/installation of the goods. The customer acknowledges that it is his/her further responsibility to ensure that a fully qualified and competent person is used to install the goods to ensure their effective operation. Failure by the customer to ensure the installation of the goods, according to the written instructions of the manufacturer and/or supplier, by a fully qualified and competent person, may result in the failure of the goods, injury, loss, or damages to the customer. Accordingly, and in this event, RigiFoam (Pty) Ltd accepts no responsibility for any loss or damages that might arise by reason of death or personal injury to any person engaged in the installation or use of the goods thereafter, subject to the provisions of the Consumer Protection Act 68 of 2008.